




**Lighting Accessories**  
and  
**Fixtures**  
(2024\_2025)





LED  
**PANEL**  
LIGHTS






## JUPITER

**ITEM:** MB14021212003



Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
15/20 25/30/40W	2x2	40	80	120°	553x553	120 - 347V 50/60Hz	3500/4000/5000 5700/6500K




## JUPITER

**ITEM:** MB14021201002



Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
30/40 50/60/72W	2x4	40	80	120°	1163x553	120 - 347V 50/60Hz	3500/4000/5000 5700/6500K



## JUPITER

**ITEM:** MB14021212004



Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
15/20 25/30/40W	1x4	40	80	120°	1163x253	120 - 347V 50/60Hz	3500/4000/5000 5700/6500K



LED  
**DOWN**  
LIGHTS





### NEPTON (360° Adjustable)

**ITEM:** MB14021201001



Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
9W	125x49	20	80	38°	96	120/60Hz	3000 4000 5000K



### APOLO

**ITEM:** MB1402121201022



Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
9W	120x12	20	80	38°	100-110	100-130V AC/60Hz	2700/3000/3500 4000/5000K



### APOLO

**ITEM:** MB1402121201023



Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
12W	170x12	20	80	38°	150-160	100-130V AC/60Hz	2700/3000/3500 4000/5000K



### MARS

**ITEM:** MB1402121201024

Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
9W	120x12	20	80	38°	100-110	100-130V AC/60Hz	2700-6500K+RGB



### TITAN (Fire Proof)

**ITEM:** MB1402121201025

Watt	Dimension	IP	RI	Beam Angle	Cutout (mm)	Voltage	CCT
9W	125x24	20	80	38°	105	100-130V AC/60Hz	2700/3000/3500 4000/5000K



# GARDEN

LIGHTS

ANTIQUE SERIES





### PILLAR LAMP

**ITEM:** MB1402121201013

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	6.3x6.3x17.1	44	120V	E26 (Not Include)	Celt



### PENDANT LAMP

**ITEM:** MB1402121201014

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	6.3x6.3x13.6	23	120V	E26 (Not Include)	Celt

60CM Length Chain



### WALL LAMP

**ITEM:** MB1402121201012

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	6.3x7.48x15	23	120V	E26 (Not Include)	Celt



### PILLAR LAMP

**ITEM:** MB1402121201016

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8x5.9x14.9	44	120V	E26 (Not Include)	Celt



### PENDANT LAMP

**ITEM:** MB1402121201017

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8x8x11.8	23	120V	E26 (Not Include)	Celt

60CM Length Chain



### WALL LAMP

**ITEM:** MB1402121201015

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8x7.3x11.8	23	120V	E26 (Not Include)	Celt



### GARDEN LIGHT

**ITEM:** MB1402121201021

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	5.9x5.9x53.5	44	120V	E26 (Not Include)	Celt

1M Pole



### PILLAR LAMP

**ITEM:** MB1402121201019

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	5.9x5.9x18.1	44	120V	E26 (Not Include)	Celt



### PENDANT LAMP

**ITEM:** MB1402121201020

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	5.9x5.9x13.7	23	120V	E26 (Not Include)	Celt

60CM Length Chain



## WALL LAMP

**ITEM:** MB1402121201018

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	5.9x7.8x17.3	23	120V	E26 (Not Include)	Celt



## GARDEN LAMP

**ITEM:** MB1402121201008

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8.66x53.15	44	120V	E12x2 (Not Include)	Celt

1M Pole



## POST LAMP

**ITEM:** MB1402121201006

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8.66x6.69x18.5	44	120V	E12x2 (Not Include)	Celt



## PENDANT LAMP

**ITEM:** MB1402121201007

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8.66x13.4	23	120V	E12x2 (Not Include)	Celt

**60CM Length Chain**



## WALL LAMP

**ITEM:** MB1402121201005

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	8.66x6.69x13.38	23	120V	E12x2 (Not Include)	Celt



## PILLAR LAMP

**ITEM:** MB1402121201010

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	10.4x10.4x25	44	120V	E12x2 (Not Include)	Celt

**Change Lamp Holder To**



## PENDANT LAMP

**ITEM:** MB1402121201011

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	10.4x10.4x19.8	23	120V	E12x2 (Not Include)	Celt

**60CM Length Chain**



## WALL LAMP

**ITEM:** MB1402121201009

Source	Dimension	IP	Voltage	Bulb Base	Certification
Bulb	10.4x12.2x19.8	23	120V	E12x2 (Not Include)	Celt

**Change Lamp Holder To**

# ACCESSORIES





### SIMON

**ITEM:**H\_S 308RD

Source	Dimension	IP	RI	Cutout (mm)	Housing Materials	Installation Method	CCT
Bulb	70x120x45	20	90	67	Die Casting AL	Gypsum Recessed	3000 4000 6000K



### CASPER

**ITEM:** 11002000

Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	123x38	20	MR16/PAR16	85	Iron Body	Black



### CASPER

**ITEM:** 11003000

Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	123x38	20	MR16/PAR16	85	Iron Body	White



### CASPER

**ITEM: 11008000**

Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	123x38x123	20	MR16/PAR16	85x85	Iron Body	Black



### CASPER

**ITEM: 11009000**


Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	123x38x123	20	MR16/PAR16	85x85	Iron Body	White



### CASPER

**ITEM: 11004000**

Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	210x38x123	20	MR16/PAR16	165x85	Iron Body	Black



### CASPER

**ITEM:** 11005000


Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	210x38x123	20	MR16/PAR16	85x85	Iron Body	White



### CASPER

**ITEM:** 11009000

Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	295x38x123	20	MR16/PAR16	250x85	Iron Body	Black



### CASPER

**ITEM:** 11007000

Source	Dimension	IP	Base	Cutout (mm)	Materials	Body Color
Bulb	295x38x123	20	MR16/PAR16	250x85	Iron Body	white

# SWITCH AND SOCKET





**ITEM: MBDS15**

**Description:**

15A / 277-120V / Decorative Rocker Switch/ Single Pole  
White Color



**ITEM: MBDS15**

**Description:**

15A / 120-227V / Decorative Rocker Switch / Single Pole  
Black Color



**ITEM: MBDS15.3**

**Description:**

15A / 120-277V / Decorative Rocker Switch / 3-ways  
White Color



**ITEM: MBDS15.3**

**Description:**

15A / 120-227V / Decorative Rocker Switch / 3-ways  
Black Color



**ITEM:** MBDT15Q

**Description:**

15A / 125V AC / Decorative TR Receptacle / Push-In Wire  
White Color



**ITEM:** MBDT15Q

**Description:**

15A / 125V AC / Decorative TR Receptacle / Push-In Wire  
Black Color



**ITEM:** MBGW15

**Description:**

15A / 125V / Self-Test GFCI / UL2018 943 Version  
TR&WR Weather Resistant  
White Color



**ITEM:** MBGW15

**Description:**

15A / 125V / Self-Test GFCI / UL2018 943 Version  
TR&WR Weather Resistant  
Black Color



**ITEM: MBDT15Q**

**Description:**

15A / 125V / 20W / Quick Charger PD3.0+QC3.0 USB / Outlet  
White Color



**ITEM: MBDT15Q**

**Description:**

15A / 125V / 20W / Quick Charger PD3.0+QC3.0 USB / Outlet  
Black Color



**ITEM: MBGW15**

**Description:**

American standard / 120V 60HZ 600W / AC Power / Single Pole  
Incandescent Dimmer Switc  
White Color



**ITEM: MBGW15**

**Description:**

15A / 125V / Self-Test GFCI UL2018 943 Version  
TR&WR Weather Resistant  
Black Color



**ITEM:** MBBS1803

**Description:**


1 Gang Standard / Decorative Screwless Wallplate  
70\*115mm 2.75\*4.53"  
White Color



**ITEM:** MBBS1803

**Description:**

1 Gang Standard / Decorative Screwless Wallplate  
70\*115mm 2.75\*4.53"  
Black Color



**ITEM:** MBBS18032

**Description:**

2 Gang Standard / Decorative Screwless Wallplate  
116\*115mm 4.56\*4.53"  
White Color



**ITEM:** MBBS18032

**Description:**

2 Gang Standard / Decorative Screwless Wallplate  
116\*115mm 4.56\*4.53"  
Black Color



**ITEM:** MBBS18033

**Description:**


3 Gang Standard / Decorative Screwless Wallplate  
162\*115 mm 6.38\*4.53"  
White Color



**ITEM:** MBBS18033

**Description:**

3 Gang Standard / Decorative Screwless Wallplate  
162\* 115 mm 6.38\*4.53"  
Black Color



**ITEM:** MBBS18034

**Description:**

4 Gang Standard / Decorative Screwless Wallplate  
208\*115 mm 8.19\*4.53"  
White Color



**ITEM:** MBBS18034

**Description:**

4 Gang Standard / Decorative Screwless Wallplate  
208\*115 mm 8.19\*4.53"  
Black Color

LED  
**STRIP**  
LIGHTS






**ITEM:** COB-480P-24-8V



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
10W	5CM	DC 24V	20	90	120°	480P	75-95LM/W	>0.95



**ITEM:** COB-320P-24-8V



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
9W	5CM	DC 24V	20	90	120°	320P	950LM/W	>0.95



**ITEM:** COB-480P-24-8V



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
10W	5CM	DC 24V	65	90	120°	480P	75-95LM/W	>0.95



**ITEM:** COB-320P-24-8V



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
9W	5CM	DC 24V	65	90	120°	320P	850LM/W	>0.95



**ITEM:** 240-2219P-8-BB-24V



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
10W	5CM	DC 24V	20	80	120°	240P	1100LM/W	>0.95



**ITEM:** U126-2835-08




Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
9W	5.5CM	DC 24V	67	80	120°	126P	480LM/W	>0.95



**ITEM:** U1010126P-2835



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
9W	5.5CM	DC 24V	67	80	128°	126P	850LM/W	>0.95



**ITEM:** U126-2835-1515P



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
9W	5CM	DC 24V	65	80	120°	126P	560LM/W	>0.95



**ITEM:** COB-360P-HV



Watt	Cut Size	Voltage	IP	RI	Beam Angle	LED QTY	Luminous	Power Factor
9W	0.25Meter	AC 120V	65	80	120°	450P	900LM/W	>0.95



**4M**  
Canada



ADDRESS:  
7250 Keele St  
Vaughan ON L4K 1Z8 Canada

PHONE NUMBER:  
+1 (416) 777-0702  
+1 (647) 570-5571

INFO@LED4M.CA  
WWW.LED4M.CA